

Material Safety Data Sheet

HIFIFAST YELLOW HF3G

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

Product Name HIFIFAST YELLOW HF3G

Chemical Characterization Benzimidazolone

C.I. Pigment Yellow 154

C. I. No.:11781

Company ANSHAN HIFICHEM Co., Ltd.

Address: No.8, 1st Bao An Road,

Teng Ao Industrial Park, Anshan 114225, P. R. China

Emergency Health/Environmental Phone 86 21 3100 7988

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according CLP regulation (Regulation (EC) No. 1272/2008, as amended)

The product is not classified as hazardous according to the CLP Regulation.

Classification according EC Directive (67/548/EEC or 1999/45/EC, as amended)

Category of danger/Category Hazard symbol R - phrases

2.2. Label elements

Labelling according CLP regulation (Regulation (EC) No. 1272/2008, as amended)

Not a hazardous substance or mixture., The product does not require classification and labelling as hazardous according to CLP/GHS.

2.3. Other hazards

According to the present state of knowledge provided this product is handled correctly, there is no danger to humans or the environment

Organic substances in powder form may have the potential to cause dust explosions.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substances



Chemical characterization C.I.PIGMENT YELLOW 154

4. FIRST AID MEASURES

4.1. Description of first aid measures

General information Seek medical assistance if discomfort continues

After inhalation Immediately seek fresh air after inhaling of dust, vapour or

aerosol.

After contact with skin In case of contact, immediately flush skin with plenty of water.

After contact with eyes Rinse the affected eye with plenty of water, at the same time

keep the unaffected eye well protected.

After ingestion If swallowed do not induce vomiting, seek medical advice and

show safety datasheet or label

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known currently.

Hazards No hazards known at this time.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media water spray jet

foam

Extinguishing media that must not be used

for safety reasons

Full water jet

carbon dioxide

dry powder

5.2. Special hazards arising from the substance or mixture

In case of fires, hazardous combustion gases are formed: Carbon monoxide (CO)

Carbon dioxide (CO2)

Nitrogen oxides (NOx)

fluoride (HF)

Hydrogen





5.3. Advice for firefighters

Special protective equipment for firefighting

Further information

Use self-contained breathing apparatus

Evacuate endangered area, close off area.

Wear protective equipment.

Do not disperse powdered product in air.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable personal protective equipment.

Avoid dust formation.

Keep away sources of ignition.

6.2. Environmental precautions

Do not allow entry to drains, water courses or soil

6.3. Methods and material for containment and cleaning up

Take up mechanically

Avoid dust formation and electrical charging (sparking) because dust explosion might occur.

When picked up, treat material as prescribed under heading "Disposal".

6.4. Reference to other sections

Additional information

Keep away sources of ignition, stop running engines, no smoking. Take up in the dry state without forming dust. Consider Recycling Information regarding Safe handling, see chapter 7. Information regarding Waste Disposal, see chapter 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

When used and handled appropriately no special measures are needed Avoid dust formation.

Provide exhaust ventilation if dust is formed.

Take precautionary measures against electrostatic loading.



Hygiene measures

Wash hands before breaks and after work.

Use barrier skin cream.

Remove soiled or soaked clothing immediately and clean thoroughly before using again.

Advice on protection against fire and explosion

Take precautionary measures against build-up of electrostatic charges, e.g earthing during loading and offloading operations.

Keep away sources of ignition.

Dust can form an explosive mixture in air.

Observe the general rules of industrial fire protection

Dust explosion class: ST1 Capable of dust explosion

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in original packaging, tightly closed

Advice on storage compatibility

When used and handled as intended, none.

Do not store or transport together with foodstuffs

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully. Keep away from sources of ignition.

Storage stability

If correctly stored: storage life > 12 months

7.3. Specific end use(s)

No further recommendations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Exposure limit values

Exposure limit values are not available.

DNEL/DMEL values



DNEL/DMEL values are not available.

PNEC values

PNEC values are not available.

8.2. Exposure controls

Appropriate engineering controls

Local ventilation recommended - mechanical ventilation may be used.

General protective measures

Observe the usual precautions for handling chemicals.

Respiratory protection : in case of dust, use dust-mask.

mask, comb.gas/particle filter

Hand protection: Nitrile rubber gloves.

Minimum breakthrough time (glove): not determined

Minimum thickness (glove): not determined

Observe the information of the glove manufacturers on permeability and breakthrough times and other workplace

requirements

Eye protection : safety glasses

Body protection: working clothes

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: solid (20 °C ; 1.013 hPa)

Form: powder
Particle size: 6,3 µm

Method: Laser diffraction with dispersion in dry air.

Colour: yellow

Odour: not specified

Odour threshold: not tested.

pH value : 5,5 - 8,5

Applies to pigments - No melting point up to the decomposition

temperature.

Flash point: Not applicable

Evaporation rate: not tested.



Combustion number: BZ3 Local combustion without spreading (20 °C)

Minimum ignition energy: 56 - 110 mJ

with inductive electrical resistance

Minimum ignition energy: 13 - 30 mJ

without inductive electrical resistance

Vapour pressure : not available

Solubility in water: 0,02 mg/l (20 °C)

The data refer to the colourant

Soluble in ...: 1-octanol

not tested.

Octanol/water partition 2,12 (24 °C)

coefficient (log Pow):

Ignition temperature : not tested.

Self-ignition temperature : 290 °C

Method: VDI 2263 (Grewer)

Thermal decomposition : > 330 °C (Heating rate : 3 K/min)

Method: DTA

Viscosity (dynamic): Not applicable

Oxidizing properties : not tested.

9.2. Other information

Density: 1,59 g/cm3

Bulk density: 160 kg/m3 (20 °C)
Impact sensitivity: Not impact sensitive.

Further information No incompatible substance known.

10. STABILITY AND REACTIVITY

10.1. Reactivity

See section 10.3. "Possibility of hazardous reactions"

10.2. Chemical stability

Stable.



10.3. Possibility of hazardous reactions

Risk of dust explosions.

Stable.

10.4. Conditions to avoid

ignition

Avoid excessive heat, flame, and spark.

10.5. Incompatible materials

not known

10.6. Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects Information related to the product itself:

Information related to the product itself:

Acute oral toxicity: LD50 > 2.000 mg/kg (rat)

Acute dermal toxicity: not required

Acute inhalation toxicity: LC50 > 709 mg/l (4 h, rat)

Method : other

By analogy with a similar product.

Irritant effect on skin : non-irritant (rabbit)

Method: FDA guideline

Irritant effect on eyes: non-irritant (24 h, rabbit eye)

Method: FDA guideline

Sensitization: non-sensitizing Method: OECD 429



Repeated dose toxicity: Sub-acute oral toxicity

Route of application: gavage

NOAEL: 1.000 mg/kg (Exposure time: 28 d, Frequency of treatment: once daily, Dose: 100 - 300 - 1000 mg/kg, Rats,

male/female)

Method: OECD Guide-line 407

Repeated Dose Toxicity (subchronic study)

Route of application: Oral

The study is not necessary from a scientific perspective.

Repeated Dose Toxicity (subchronic study)

Route of application: inhalative

The study is not necessary from a scientific perspective.

Genetic toxicity in vivo : Micronucleus assay

mouse (NMRI, male and female)

gavage 30 h 50 - 500 - 5000 mg/kg Bone marrow cells

Method: OECD Guide-line 474

Negative

Genetic toxicity in vitro: Test type: PRIVAL Modification of AMES Test For Azo Dyes

Test system: Strains of Salmonella typhimurium.

Concentration: 3 - 5000

Metabolic activation: with and without

Result: Negative with and without metabolic activation

Method: OECD 471

Test type: Chromosome Aberration Test

Test system: V79 cells (embryonic lung fibroblasts) of the

Chinese hamster

Concentration: 600 µg/ml

Metabolic activation: with and without

Result: Negative with and without metabolic activation

Method: OECD 473

Assessment of mutagenicity: It is concluded that the product is not mutagenic based on

evaluation of several mutagenicity tests.

Assessment of carcinogenicity: not available

Developmental toxicity/teratogenicity:

The study is not necessary from a scientific perspective.





Toxicity to reproduction/fertility:

One generation study

NOAEL parent: 1.000 mg/kg (Exposure time: 4 w (male), 7 w (female), Frequency of treatment: once daily, Pre-mating exposure period, male: 14 d, Pre-mating exposure period, female: 14 d, Dose: 100 - 300 - 1000 mg/kg, rat, male/female) NOAEL F1: 1.000 mg/kg (Exposure time: 4 w (male), 7 w (female), Frequency of treatment: once daily, Pre-mating exposure period, male: 14 d, Pre-mating exposure period, female: 14 d, Dose: 100 - 300 - 1000 mg/kg, rat, male/female)

Method: OECD 421 Two generation study

The study is not necessary from a scientific perspective.

Assessment of toxicity to reproduction: No reproductive toxicity to be expected.

Assessment of teratogenicity: No teratogenic effects to be expected.

Specific target organ toxicity (STOT) -

single exposure:

Assessment:

The substance or mixture is not classified as specific target

organ toxicant, single exposure.

Specific target organ toxicity (STOT) -

repeated exposure:

Assessment:

The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Information related to the product itself:

Fish toxicity: EC50 > 100 mg/l (48 h, Daphnia magna)

Method: OECD 202

The details of the toxic effect relate to the nominal

concentration.

Fish toxicity (chronic): NOEC 1 mg/l (21 d, Daphnia magna)

Analytical monitoring : yes

Method: OECD 211, reproduction test

The details of the toxic effect relate to the nominal

concentration.

Daphnia toxicity: EC50 > 100 mg/l (48 h, Daphnia magna)

Method: OECD 202

The details of the toxic effect relate to the nominal

concentration.

Daphnia toxicity (chronic): NOEC 1 mg/l (21 d, Daphnia magna)

Analytical monitoring : yes

Method: OECD 211, reproduction test

The details of the toxic effect relate to the nominal

concentration.



Algae toxicity: NOEC (growth rate) 1 mg/l (72 h, Scenedesmus subspicatus)

Method: OECD 201

The details of the toxic effect relate to the nominal

concentration.

EC10 (growth rate) > 1 mg/l (72 h, Scenedesmus subspicatus)

Method: OECD 201

The details of the toxic effect relate to the nominal

concentration.

EC10 (biomass) < 1 mg/l (72 h, Scenedesmus subspicatus)

Method: OECD 201

The details of the toxic effect relate to the nominal

concentration.

Bacteria toxicity: NOEC > 1.000 mg/l (3 h, activated sludge)

Method: OECD 209

The details of the toxic effect relate to the nominal

concentration.

Toxicity to soil-dwelling organisms: NOEC 1.000 mg/kg (28 d, Eisenia foetida)

Method: OECD 222

LOEC > 1.000 mg/kg (28 d, Eisenia foetida)

Method: OECD 222

Toxicity to terrestrial plants: NOEC 1.000 mg/kg (21 d, Brassica napus)

Method: OECD Guide-line 208

NOEC 1.000 mg/kg (21 d, Avena sativa)

Method: OECD Guide-line 208

NOEC 1.000 mg/kg (21 d, Dicotyledonae: Glycine max

(soybean))

Method: OECD Guide-line 208

12.2. Persistence and degradability

Information related to the product itself:

Physico-chemical eliminability: This product is not readily biodegradable.

Biodegradability: 10 % (28 d)

Method: OECD 302 C

Not biodegradable according to OECD 302 (not inherently

biodegradable)

12.3. Bioaccumulative potential

Information related to the product itself:

Bioaccumulation: Low potential for bioaccumulation (log Pow < 3).

12.4. Mobility in soil

Information related to the product itself:

Transport and distribution adsorption (water - soil)





between environmental Low potential for adsorption to soil (log Pow < 3).

compartments:

Behaviour in environmental compartments not available

12.5. Results of PBT and vPvB assessment Information related to the product itself:

After consideration of all available toxicity and ecotoxicity data it is concluded that the substance does not fulfil the PBT or vPvB criteria.

12.6. Other adverse effects

Information related to the product itself:

Additional ecotoxicological remarks

Product is insoluble in water

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product

Product should be be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities

Uncleaned packaging

Packaging that cannot be cleaned should be disposed of as product waste

14. TRANSPORT INFORMATION

Section 14.1. to 14.5.

ADR not restricted
ADN not restricted
RID not restricted
IATA not restricted
IMDG not restricted

14.6. Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.



14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code (International Bulk Chemicals Code)

No transport as bulk according IBC - Code.

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out for these substances.

16. OTHER INFORMATION

Observe national and local legal requirements

Legend

ADN European Agreement concerning the International Carriage of

Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of

Dangerous Goods by Road

AOX Adsorbable organic bound halogens

CAS Chemical Abstracts Service

DMEL Derived Minimal Effect Level (genotoxic substances)

DNEL Derived No Effect Level

EC50 Half maximal effective concentration

GHS Globally Harmonized System

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LC50 Lethal Concentration 50%

LD50 Lethal Dose 50%

MARPOL International Convention for the Prevention of Pollution From

Ships



NOAEC No Observed Adverse Effect Concentration

NOAEL No Observed Adverse Effect Level

NOEC Non Observed Effect Concentration

OEL Occupational Exposure Limit

PBT Persistent, Bioaccumulative, Toxic

PEC Predicted Environmental Concentration

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of

Chemicals

RID International Rule for Transport of Dangerous Substances by

Railway

SVHC Substances of Very High Concern

vPvB very Persistent and very Bioaccumulative

Disclaimer The information contained herein is based upon data believed

to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to such data or information. The user is responsible for determining whether the product is suitable for its intended conditions of use.

Change to the last edition 3rd edition of the MSDS for this product (25th July, 2014)